



# The TIMI Trials

## TIMI 11A

**OBJECTIVE:** To compare the safety and tolerability of two weight-adjusted regimens of subcutaneous injections of enoxaparin among patients presenting with unstable angina or non-Q-wave myocardial infarction.

1. **The Thrombolysis in Myocardial Infarction (TIMI) 11A Trial Investigators. Dose-ranging trial of enoxaparin for unstable angina: results of TIMI 11A. J Am Coll Cardiol 1997;29:1474-82.**
2. Morrow DA, Rifai N, Antman EM, Weiner DL, McCabe CH, Cannon CP, Braunwald E. C-reactive protein is a potent predictor of mortality independently and in combination with troponin T in acute coronary syndromes: a TIMI 11A substudy. J Am Coll Cardiol 1998;31:1460-1465.
3. Antman EM, Sacks DB, Rifai N, McCabe CH, Cannon CP, Braunwald E. Time to positivity of a rapid bedside assay for cardiac-specific troponin T predicts prognosis in acute coronary syndromes: A Thrombolysis in Myocardial Infarction (TIMI) 11A Substudy. J Am Coll Cardiol 1998;31:326-330.
4. Morrow DA, Rifai N, Antman EM, Weiner DL, McCabe CH, Cannon CP, Braunwald E. Serum amyloid A predicts early mortality in acute coronary syndromes: a TIMI 11A substudy. J Am Coll Cardiol 2000; 35: 358-362.