



The TIMI Trials

TIMI IIA

OBJECTIVE: To compare the results of 3 strategies of coronary angiography and angioplasty following intravenous thrombolytic therapy for ST elevation myocardial infarction: immediate invasive, delayed invasive (18-48 h), and a conservative strategy.

1. The TIMI Research Group. Immediate vs delayed catheterization and angioplasty following thrombolytic therapy for acute myocardial infarction. TIMI II A results. *JAMA* 1988;260:2849-2858.
2. Rogers WJ, Baim DS, Gore JM, Brown BG, Roberts R, Williams DO, Chesebro JH, Babb JD, Sheehan FH, Wackers FJT, Zaret BL, Robertson TL, Passamani ER, Ross R, Knatterud GL, Braunwald E, for the TIMI II-A Investigators. Comparison of immediate invasive, delayed invasive, and conservative strategies after tissue-type plasminogen activator. Results of the Thrombolysis in Myocardial Infarction (TIMI) Phase II-A Trial. *Circulation* 1990;81:1457-1476.
3. Passamani E, Hodges M, Grose R, Chaitman B, Rogers W, Forman S, Terrin M, Knatterud G, Robertson T, Braunwald E. The Thrombolysis and Myocardial Infarction (TIMI) Phase II Pilot Study: Tissue plasminogen activator followed by percutaneous transluminal coronary angioplasty. *J Am Coll Cardiol* 1987;10:51B-64B.
4. TIMI Operations Committee: Braunwald E, Knatterud GL, Passamani ER, Robertson TL. Announcement of protocol change in Thrombolysis in Myocardial Infarction (TIMI) Trial. *J Am Coll Cardiol* 1987;9:467.
5. TIMI Operations Committee: Braunwald E, Knatterud GL, Passamani E, Robertson TL, Solomon R. Update from the Thrombolysis in Myocardial Infarction Trial. *J Am Coll Cardiol* 1987;10:970.
6. Williams DO, Ruocco NA, Forman S, and the TIMI Investigators. Coronary angioplasty after recombinant tissue-type plasminogen activator in acute myocardial infarction: A report from the Thrombolysis in Myocardial Infarction (TIMI) Trial. *J Am Coll Cardiol* 1987;10:45B-50B.
7. Baim DS, Diver DJ, Knatterud GL, for the TIMI IIA Investigators. PTCA salvage for thrombolytic failures - implications from TIMI IIA. *Circulation* 1988;78:II-112.
8. Chaitman BR, Thompson B, Wittry MD, Stump D, Hamilton WP, Hillis LD, Dwyer JG, Solomon RE, Knatterud GL. The use of tissue-type plasminogen activator for acute myocardial infarction in the elderly: results from thrombolysis in myocardial infarction Phase I, open label studies and the Thrombolysis in Myocardial Infarction Phase II pilot study. The TIMI Investigators. *J Am Coll Cardiol* 1989;14:1159-65.
9. Rogers WJ, Bourge RC, Papapietro SE, Wackers FHT, Zaret BL, Forman S, Dodge HT, Robertson TL, Passamani ER, Braunwald E. Variables predictive of good functional outcome following thrombolytic therapy in the Thrombolysis in Myocardial Infarction Phase II (TIMI II) Pilot Study. *Am J Cardiol* 1989;63:503-12.
10. Baim DS, Braunwald E, Feit F, Knatterud GL, Passamani ER, Robertson TL, Rogers WJ, Solomon RE, Williams DO. The Thrombolysis in Myocardial Infarction (TIMI) Trial Phase II: additional information and perspectives. *J Am Coll Cardiol* 1990;15:1188-1192.
11. Chaitman BR, Thompson BW, Kern MJ, Vandormeal MG, Cohen MB, Ruocco NA, Solomon RE, Braunwald E. Tissue plasminogen activator followed by percutaneous transluminal coronary angioplasty: One year TIMI phase II pilot results. *Am Heart J* 1990;119:213-23.